



TSC Alpha-30L Etikettendrucker Thermodirekt Farbe 203 x 203 DPI 127 mm/sek Verkabelt & Kabellos WLAN Bluetooth

Marke : TSC

Artikel-Code: A30L-A001-0012

Produktname : Alpha-30L

TSC Alpha-30L. Drucktechnologie: Thermodirekt, Maximale Auflösung: 203 x 203 DPI, Druckgeschwindigkeit (metrisch): 127 mm/sek, Farbe. Übertragungstechnik: Verkabelt & Kabellos, WLAN, Bluetooth, USB Anschluss. Unterstützte Papierbreite: 80 mm. Produktfarbe: Schwarz, Grau



Drucken		Design	
Drucktechnologie *	Thermodirekt	Bildschirmdiagonale	5,84 cm (2.3")
Farbe *	✓	Display-Auflösung	320 x 240 Pixel
Maximale Auflösung *	203 x 203 DPI	Farbdisplay	✓
Anzahl der druckbaren Punkte	8 dot	Display-Hintergrundbeleuchtung	✓
Druckgeschwindigkeit (metrisch) *	127 mm/sek	Steuerung	Tasten
Maximum Druckweite *	7,2 cm	Akku/Batterie	
Papierhandhabung		Akku-/Batterietechnologie	Lithium-Ion (Li-Ion)
Autoabschneider	✓	Akku-/Batteriekapazität	3030 mAh
Maximaler Rollendurchmesser	6,7 cm	Systemanforderung	
Medienstärke	0.06 - 0.16 mm	Unterstützte mobile Betriebssysteme	iOS
Unterstützte Papierbreite	80 mm	Betriebsbedingungen	
Kerndurchmesser	1,27 cm	Relative Luftfeuchtigkeit in Betrieb	10 - 90%
Anschlüsse und Schnittstellen		Luftfeuchtigkeit bei Lagerung	10 - 90%
Übertragungstechnik *	Verkabelt & Kabellos	Betriebstemperatur	-20 - 50 °C
WLAN *	✓	Temperaturbereich bei Lagerung	-30 - 70 °C
Bluetooth	✓	Gewicht und Abmessungen	
USB Anschluss *	✓	Breite	117 mm
Optionale Konnektivität	Bluetooth, USB 2.0	Tiefe	79 mm
Leistungen		Höhe	173 mm
Seitenbeschreibungssprachen	ESC/POS, TSPL-EZ	Gewicht	745 g
Speicherkapazität	128 MB	Verpackungsdaten	
Flash-Speicher	128 MB	Verpackungsart	Box
Technische Details			
Konformitätsbescheinigungen		CCC, CE, Eidgenössische Kommunikationskommission (FCC), RoHS, TÜV mark, UL, WEEE, cUL	

Leistungen		Sonstige Funktionen	
integrierte Barcodes	1D, 2D, China post, Code 11, Code 128 (A/B/C), Code 39, Code 49, Code 93, Deutsche Post Identcode, Deutsche Post Leitcode, EAN128, EAN13, EAN14, EAN8, ITF-14, Interleaved 2/5, LOGMARS, Planet, Standard 2/5, TELEPEN, UPC-A	Garantiezeit	2 Jahr(e)
Eingebauter Prozessor	✓		
Zertifizierung	FCC Class B, CE Class B, C-Tick Class B, UL, cUL, TÜV/Safety, CCC, RoHS, WEEE		
Design			
Produktfarbe *	Schwarz, Grau		
Eingebautes Display	✓		
Display *	LCD		

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.