Zebra ZT411 203 x 203 DPI Verkabelt & Kabellos Direkt Wärme/Wärmeübertragung POS-Drucker





Marke : Zebra

Artikel-Code: ZT41142-T0E0000Z

Produktname : ZT411

Zebra ZT411. Drucktechnologie: Direkt Wärme/Wärmeübertragung, Typ: POS-Drucker, Maximale Auflösung: 203 x 203 DPI. Druckmedien - Stärke: 0.058 - 0.25 µm, Maximum Druckweite: 10,4 cm, Maximale Medienlänge: 450 m. Übertragungstechnik: Verkabelt & Kabellos, Serielle Schnittstelle: RS-232, Standard-Schnittstellen: Bluetooth, Ethernet, RJ-45, RS-232. Ethernet LAN Datentransferraten: 10,100 Mbit/s. Speichermedien: Flash, Flash-Speicher: 512 MB, RAM-Kapazität: 256 GB

Drucken	
Maximale Auflösung	203 x 203 DPI
Druckgeschwindigkeit	2,4 ips
Drucktechnologie *	Direkt Wärme/Wärmeübertragung
Typ *	POS-Drucker
Papierhandhabung	
Druckmedien - Stärke	0.058 - 0.25 µm
Maximum Druckweite	10,4 cm
Maximale Medienlänge	450 m
Anschlüsse und Schnittstellen	
USB Anschluss *	✔
Anzahl USB 2.0 Anschlüsse	1
Serielle Schnittstelle *	✔
Serielle Schnittstelle	RS-232
Bluetooth	✔
Bluetooth-Version	4.1
Übertragungstechnik *	Verkabelt & Kabellos
Anzahl serielle Anschlüsse	1
Anzahl Ethernet-LAN-Anschlüsse (RJ-45)	1
Standard-Schnittstellen	Bluetooth, Ethernet, RJ-45, RS-232
Netzwerk	
Ethernet/LAN *	✔
Ethernet LAN Datentransferraten	10,100 Mbit/s
Merkmale	
Speichermedien	Flash
Flash-Speicher	512 MB
RAM-Kapazität	256 GB

Design	
Bildschirmdiagonale	10,9 cm (4.3")
Energie	
Energiequelle *	AC
AC Eingangsspannung	100 - 240 V
AC Eingangsfrequenz	50 - 60 Hz
Betriebsbedingungen	
Betriebstemperatur	0 - 40 °C
Temperaturbereich bei Lagerung	-40 - 60 °C
Relative Luftfeuchtigkeit in Betrieb	20 - 85%
Luftfeuchtigkeit bei Lagerung	5 - 85%
Systemanforderung	
Unterstützt Windows-Betriebssysteme	✔
Gewicht und Abmessungen	
Breite	269 mm
Tiefe	495 mm
Höhe	324 mm
Gewicht	16,3 kg
Verpackungsdaten	
Paketgewicht	18,6 kg
Lieferumfang	
Schnellstartübersicht	✔
AC-Netzadapter	✔
Logistikdaten	
Warentarifnummer (HS)	84433210

Design	
Produktfarbe *	Schwarz, Grau
Eingebautes Display	✔
Farbdisplay	✔

Technische Details	
Nachhaltigkeitszertifikate	ENERGY STAR

Sonstige Funktionen	
Speichermedien Typ	Flash

5704174016045

4062621268173

8596375235243

Catalog Object Cloud

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 17-SEP-2026. Prints or copies of Information are only valid on the printed Publication date